





Art. Nr. 250114.2AV




09.07.2025











250114.2AV - Agnes 5.7x12.2 44mm 30 degree


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond
- Põhiplan




250114.2AV - Agnes 5.7x12.2 44mm 30 degree
Foundation - Fundament - Fondation - Fondamenta - Fundering
- Immutatud alusraam



250114.2AV - Agnes 5.7x12.2 44mm 30 degree
Floor boards - Fussbodenbretter - Plan pose plancher -
Pavimento - Vloerhout - Põrandalaudis
Terrace boards - Terrassenbretter - Plancher de terrasse -
Piattaforme terrazzo - Terrasvloer - Terrassilaud






Technical drawing of a roof structure, likely a gable roof, showing dimensions and labels. The drawing includes a cross-section view of the roof and a plan view below it.


Roof Structure Details:

- The roof is divided into two main sections by a central vertical line.
- The left section has a peak labeled 34. The roof slope is indicated by a triangle with a vertical side of 199,5 and a horizontal side of 282,8.
- The right section has a peak labeled 085. The roof slope is indicated by a triangle with a vertical side of 199,5 and a horizontal side of 162,3.
- The total width of the roof structure is 590.
- The total height of the roof structure is 387,6.
- The roof is supported by a central vertical column and two side columns.
- The roof is divided into horizontal sections, with labels 071 through 098 on the right side and 072 through 099 on the left side.
- The roof is divided into vertical sections, with labels 071 through 098 on the right side and 072 through 099 on the left side.



Plan View Details:

- The plan view shows the layout of the roof structure on the ground.
- The total width is 590.
- The distance from the left edge to the central column is 282,8.
- The distance from the central column to the right edge is 162,3.
- The distance between the two side columns is 120,5.
- The distance from the left edge to the first side column is 4,4.
- The distance from the first side column to the central column is 15,7.
- The distance from the central column to the second side column is 15,9.
- The distance from the second side column to the right edge is 4,4.




[illegible]


250114.2AV - Agnes 5.7x12.2 44mm 30 degree




250114.2AV - Agnes 5.7x12.2 44mm 30 degree




250114.2AV - Agnes 5.7x12.2 44mm 30 degree




250114.2AV - Agnes 5.7x12.2 44mm 30 degree




250114.2AV - Agnes 5.7x12.2 44mm 30 degree







































250114.2AV - Agnes 5.7x12.2 44mm 30 degree




























250114.2AV - Agnes 5.7x12.2 44mm 30 degree














Pos	09.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree	1/9	Q	P (mm)	L (mm)
001			1	44x57	4127
002			1	44x57	3716
003			1	44x57	3712
004			12	44x114	4127
005			4	44x114	1416
006			5	44x114	6012
007			4	44x114	3716
008			5	44x114	3712
009			4	44x114	4861
010			9	44x114	1268
011			5	44x114	1798
012			5	44x114	1781
013			5	44x114	2292
014			5	44x114	2022
015			1	44x114	6388
016			1	44x120	3618
017			1	44x120	5270
018			1	44x120	3912
019			1	44x57	244
020			1	44x57	244
021			1	44x57	3834
022			31	44x114	244
023			68	44x114	244











Pos	09.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree	2/9	Q	P (mm)	L (mm)
024			31	44x114	3834
025			1	44x114	3418
026			2	44x114	5270
027			1	44x114	3618
028			1	44x114	3912
029			1	44x57	3618
030			1	44x57	5270
031			1	44x57	3912
032			1	44x57	971
033			1	44x57	1235
034			1	44x57	793
035			1	44x57	1402
036			1	44x57	1118
037			17	44x114	971
038			17	44x114	1235
039			17	44x114	793
040			17	44x114	1402
041			17	44x114	1118
042			1	44x114	5788
043			1	44x114	6612
044			1	44x120	3618
045			1	44x120	5270
046			1	44x120	3912






Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree	3/9	Q	P (mm)	L (mm)
047			1	44x57	593
048			1	44x57	360
049			1	44x57	1391
050			1	44x57	2049
051			1	44x57	849
052			17	44x114	593
053			17	44x114	360
054			17	44x114	1391
055			17	44x114	2050
056			17	44x114	849
057			6	44x114	4034
058			6	44x114	3744
059			2	44x114	3418
060			2	44x114	5392
061			2	44x114	6388
062			2	44x114	2422
063			1	44x47	3418
064			1	44x47	5392
065			8	44x114	5900
066			1	44x114	5900
067			8	44x114	3163
068			8	44x114	1959
069			1	44x114	5900




Pos	09.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree 4/9	Q	P (mm)	L (mm)
086		36	44x114	1867
097		17	44x114	3129
098		17	44x114	1926
099		1	44x114	5900
100		17	44x114	302
101		17	44x114	720
102		1	44x114	1867
103		17	44x114	1925
104		17	44x114	360
105		17	44x114	1925
106		1	44x114	5900
107		8	44x114	5900
108		1	44x114	5900
109		8	44x114	887
110		8	44x114	1526
111		8	44x114	891
112		1	44x114	5900
123		18	44x114	246
WA-1		1		





Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree	5/9	Q	P (mm)	L (mm)
WB-1		1			
WC-1		1			
WD-1		1			
WE-1		1			
WF-1		1			
WG-1		1			
WH-1		1			
WH-2		1			
WI-1		1			
IAR2	Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 	4	44x120	5690	




Pos	09.07.2025	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree	6/9	Q	P (mm)	L (mm)
IAR4		Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 		22	44x120	5226
IAR5		Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 		22	44x120	3541
IAR3		Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 		22	44x120	3247
IAR1		Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 		4	44x120	2500
A-PR2		Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin 		3	70x140	5420
A-PR5		Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin 		7	70x140	5420
A-PR3		Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin 		10	70x140	3987
A-PR1		Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin 		3	70x140	3693
A-PR4		Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin 		7	70x140	3693
FB-1		Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Põrandalaud 		96	90x18.5	3985
FB-2		Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Põrandalaud 		80	90x18.5	2780
FB-3		Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Põrandalaud 		96	90x18.5	1575
SV-1		Terrace boards - Terrassenbretter - Plancher de terrasse - Piattaforme terrazzo - Terrasyloer - Terrassilaud 		129	90x19	2495
RB-1		Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud 		286	90x18.5	3650
FL-1		Floor fillet - Fussbodenteiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerkljst - Põrandaliist 			18x18	91
DPL-1		Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiliist 		4	18x58	3700
M1		Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Keermelatt 		4		260
M2		Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Keermelatt 		2		1912
M3		Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Keermelatt 		6		2000
TB5-1		Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst - Räästalaud 		6	18x90	4267
DRV-1		Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästafugevdus 		6	28x34	4267
GL-1		Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud 		4	18x120	3700
HS8		Screw for gable segment - Schrauben für deckblatt - Vis pour fixation losange de finition - Viti x frontali tetto - Schroef voor gevelpunt segment - Kruvi rombile 		4	3.5x35	





Pos	09.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree 7/9	Q	P (mm)	L (mm)
HS9	Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finitura davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale 	56	3.5x50	
HS12	Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de toit - Viti x striscia del tetto - Schroef voor gevellijst - Kruvi räästalaualae 	56	4x40	
HS12	Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele 	56	4x40	
HS18	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile 	400	5x120	
HS18	Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele 	60	5x120	
HS18	Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Kruvi viilude kinnitamiseks 	15	5x120	
HS16	Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Kruvi poollauale 	39	5x90	
HS23	Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele 	20	6x180	
HS23	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele 	78	6x180	
NF2	Zn nail for floor fillet - Zn nagel für fussbodenleiste - Pointe pour corniere de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdeklijst - Nael põrandaliistule 	182	1.4x40	
SH44	Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots 	2		
IN	Drive nut treaded rod - Einschlagmutter für gewindestange - Écrou a frapper pour tige filetée - Dado guida per barra filettata - Aandrijfmoer / aanslagmoer voor draadstang - Löökmutter keermelatile 	12	D10	
SFS	Nut for treaded rod - Mutter für gewindestange - Écrou pour tige filetée - Dado per barra filettata - Moer voor draadstang - Mutter keermelatil 	12	D10	
NF3	Zn nail for terrace - Zn nagel für terrassenbretter - Pointe pour plancher de terrasse - Chiodo zincato per terrazza - Spijker(nagel) voor terrasvloer - Nael terrassilaualae 	1548	2.1x50	
NF4	Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale 	2058	2x50	
NF4	Zn nail for floor - Zn nagel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Nael põrandalaualae 	1778	2x50	
NF5	Zn nail for roofing felt fillet - Zn nagel für dachpappenteiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdeklijst - Papiliistunaal 	32	2x40	
GS	Gable segment - Deckblatt - Losange de finition - Decorazione in legno x frontale tetto - Gevelpunt segment - Romb 	2		
WR	Plain washer treaded rod - Unterlegscheibe für gewindestange - Rondelle plate pour tige filetée - Rondella per barra filettata - Sluiring voor draadeind - Seib keermelatile 	12	D10	
EN	Lengthening bolt for treaded rod - Verlängerungsmutter für gewindestange - Manchon de raccordement de tige filetée - Bullone per barra filettata passo - Extensie moer voor draadstang - Keermelatil jätkumutter 	12	D10	









Pos	09.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 250114.2AV - Agnes 5.7x12.2 44mm 30 degree 8/9	Q	P (mm)	L (mm)
	Window - Fenster - Fenetre - Finestra - Raam - Aken 540x540 AK.1.104.PSP.d DGP 	2		
	Window - Fenster - Fenetre - Finestra - Raam - Aken 770x990 AK.1.106.PSP.c DGP 	1		
	Window - Fenster - Fenetre - Finestra - Raam - Aken 1290x990 TAK.1.106.PSP.b DGP 	3		
	Door - Tür - Porte - Porte - Deur - Uks 1588x1957 TUK.1.108.PVP.MM DGP 	3		
	Door - Tür - Porte - Porte - Deur - Uks 835x1957 UK.2.056.PVVMW DGP 	1		







Pos	09.07.2025	Piece list – Stückliste – Liste des pièces – Elementi – Stuklijst – Tükítabel 250114.2AV – Agnes 5.7x12.2 44mm 30 degree	9/9	Q	P (mm)	L (mm)
		Door – Tür – Porte – Porte – Deur – Uks 835x1957 UL.2.100.IVP.MM TP 		3		
		Door – Tür – Porte – Porte – Deur – Uks 835x1957 UL.2.100.IVV.MM TP 		4		
		Door – Tür – Porte – Porte – Deur – Uks 2077x1957 2UK.1.108.PVP.MM DGP 		1		








Pos	13.06.2018	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 540x540 AK.1.104.PSP.d DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 370x362 mm			  440x444 mm		
FS1	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink				1	
FSP	Bolt for window handle fittings - Bolzen für fenstergriff beschlag - Vis pour fixation poignée de fenetre - Bullone x apertura manuale finestra - Schroef voor raamhendel - Akna käepideme polt				2	
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule				4	2.5x20








Pos	31.01.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel 770x990 AK.1.106.PSP.c DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 600x812 mm   670x902 mm				
FS1	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink		1		
FSP	Bolt for window handle fittings - Bolzen für fenstergriff beschlag - Vis pour fixation poignée de fenetre - Bullone x apertura manuale finestra - Schroef voor raamhendel - Akna käepideme polt		2		
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petfeliistule		8	2.5x20	








Pos	11.11.2024	Piece list – Stückliste – Liste des pièces – Elementi – Stuklijst – Tükitabel 1290x990 TAK.1.106.PSP.b DGP	1/1	Q	P (mm)	L (mm)
	Glass size – Glasgröße – Taille de la vitre – Misura del vetro – Glas afmeting – Klaasi mõõt: 515x812 mm			 1190x902 mm		
						
1	Georgian bars – Sprossen – Croisillons – La griglia georgiana – Raamverdeling – Petteliistud		2	15x25	842	
2	Georgian bars – Sprossen – Croisillons – La griglia georgiana – Raamverdeling – Petteliistud		4	15x25	545	
FS1	Window handle fittings – Fenstergriff – Poignée de fenetre – Maniglia c/ferramenta – Raamhendel –/grendel –/klink – Aknalink		1			
FSP	Bolt for window handle fittings – Bolzen für fenstergriff beschlag – Vis pour fixation poignée de fenetre – Bullone x apertura manuale finestra – Schroef voor raamhendel – Akna käepideme polt		2			
HS1	Screw for georgian bars – Schraube für sprossen – Vis pour croisillons – Viti per unire la griglia georgiana della finestra – Schroeven voor raamverdeling – Kruvi akna petteliistule		12	2.5x20		

Pos	02.02.2018	Piece list – Stückliste – Liste des pièces – Elementi – Stuklijst – Tükitabel 1588x1957 TUK.1.108.PVP.MM DGP	1/1	Q	P (mm)	L (mm)
	Glass size – Glasgröße – Taille de la vitre – Misura del vetro – Glas afmeting – Klaasi mõõt: 1593x561 mm			 1488x1875 mm		
						
HS1	Screw for georgian bars – Schraube für sprossen – Vis pour croisillons – Viti per unire la griglia georgiana della finestra – Schroeven voor raamverdeling – Kruvi ukse petteliistule				16	2.5x20
HS4	Screw for door fillet – Schraube zur befestigung türleiste – Vis pour fixation baguette d’arret de porte – Viti per massellino della porta – Schroef voor deurlijst – Kruvi ukse kokkuvaltsiliistule				5	3x30
HS16	Screw for door jamb – Schraube für türrahmen – Vis de fixation partie haute avec montants du cadre de porte – Viti x fissaggio montanti porte – Schroef voor deurkozijn – Kruvi ukse lengile				4	5x90
HS25	Screw for doorstep – Schrauben für swelle – Vis pour fixation barre de seuil – Vite per soglia della porta – Schroef voor deurdorpel – Kruvi lävepakule				3	4.5x65
TL4	Door handle fittings – Türgriff – Poignée de porte – Maniglie – Deurhendel / klink – Ukse käepide				1	
TL5	Set of door lock covers – Schlossblenden – Set de garnitures de porte – Copertura serrature – Slot sluitplaat set – Ukse lukuplaat				1	
	Cylinder lock – Zylinderschloss – Barillet de porte – Serratura – Cylinder slot – Ukse lukusüdamik				1	30x35
	Male bolt hinge for door – Türband – Partie male de paumelle de porte – Cerniera anube x porta – Scharnier bout – Ukse polthing isane				6	
	Striker for barrel bolt – Hülse für grendelriegel – Gache au sol du targette – Boccola per fermo della porta – Huls voor vergrendelingsschuif – Vasturaud ukse servariivile				2	

Pos	25.11.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 835x1957 UK.2.056.PVV.MMW DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 561x855 mm   735x1873 mm					
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petfeliistule			6	2.5x20	
HS16	Screw for door jamb - Schraube für Türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			4	5x90	
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule			2	4.5x65	
TL4	Door handle fittings - Türgriff - Poignée de porte - Maniglie - Deurhendel / klink - Ukse käepide VU			1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat			1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik			1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane			3		

Pos	05.11.2021	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 835x1957 UL.2.100.IVP.MM TP	1/1	Q	P (mm)	L (mm)
		  735x1875 mm				
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule			2	4.5x65	
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			4	5x90	
TL4	Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide			1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat			1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik			1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane			3		

Pos	05.11.2021	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 835x1957 UL.2.100.IVV.MM TP	1/1	Q	P (mm)	L (mm)
		  735x1875 mm				
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule			2	4.5x65	
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			4	5x90	
TL4	Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide			1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat			1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik			1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane			3		

Pos	08.07.2025 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 2077x1957 2UK.1.108.PVP.MM DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 425x1593mm Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 561x1593mm   1488x1875				
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petteliistule		24	2.5x20	
HS4	Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltssiliistule		5	3x30	
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile		6	5x90	
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule		3	4.5x65	
TL4	Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide VU		1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat		1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik		1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane		6		
	Striker for barrel bolt - Hülse für grendelriegel - Gache au sol du targette - Boccola per fermo della porta - Huls voor vergrendelingsschuif - Vasturaud ukse servariivile		2		