






Amelia 8.95x5.95 44mm
Art. Nr. 250911.11FS













250911.11FS - Amelia 8.95x5.95 44mm
GROUNDPLAN I





250911.11FS - Amelia 8.95x5.95 44mm


FOUNDATION



250911.11FS - Amelia 8.95x5.95 44mm
ROOF BEAM




250911.11FS - Amelia 8.95x5.95 44mm
FLOOR BOARDS





250911.11FS - Amelia 8.95x5.95 44mm

The drawing is a side elevation of a window frame assembly. The overall width is 915 mm and the height is 216,6 mm. The frame is divided into two main sections by a central vertical mullion. The left section has a width of 269,8 mm and the right section has a width of 269,8 mm. The total width including the central mullion is 852,6 mm. The height of the frame is 216,6 mm. The drawing includes various components and their dimensions:



- Dimensions:**
 - Overall width: 915 mm
 - Overall height: 216,6 mm
 - Section width (left): 269,8 mm
 - Section width (right): 269,8 mm
 - Total width (including mullion): 852,6 mm
 - Mullion width: 29,5 mm
 - Top rail height: 20 mm
 - Bottom rail height: 20 mm
 - Distance from bottom rail to frame bottom: 8 mm
 - Distance from bottom rail to frame top: 18 mm
 - Distance from bottom rail to frame side: 7 mm
 - Distance from bottom rail to frame side: 6 mm
 - Distance from bottom rail to frame side: 5 mm
 - Distance from bottom rail to frame side: 4 mm
 - Distance from bottom rail to frame side: 3 mm
 - Distance from bottom rail to frame side: 2 mm
 - Distance from bottom rail to frame side: 1 mm
- Components and Labels:**
 - UP:** Upper panel
 - TL:** Top rail
 - PL2:** Panel 2
 - P1:** Panel 1
 - RP:** Right panel
 - HS14:** Handle 14
 - HS16:** Handle 16
 - HS22:** Handle 22
 - HS23:** Handle 23
 - HS13:** Handle 13 (5x)
 - HS14:** Handle 14 (3x)
 - HS15:** Handle 15 (5x)
 - HS16:** Handle 16 (5x)
 - HS17:** Handle 17 (5x)
 - HS18:** Handle 18 (5x)
 - HS19:** Handle 19 (5x)
 - HS20:** Handle 20 (5x)
 - HS21:** Handle 21 (5x)
 - HS22:** Handle 22 (5x)
 - HS23:** Handle 23 (5x)
 - HS24:** Handle 24 (5x)
 - HS25:** Handle 25 (5x)
 - HS26:** Handle 26 (5x)
 - HS27:** Handle 27 (5x)
 - HS28:** Handle 28 (5x)
 - HS29:** Handle 29 (5x)
 - HS30:** Handle 30 (5x)
 - HS31:** Handle 31 (5x)
 - HS32:** Handle 32 (5x)
 - HS33:** Handle 33 (5x)
 - HS34:** Handle 34 (5x)
 - HS35:** Handle 35 (5x)
 - HS36:** Handle 36 (5x)
 - HS37:** Handle 37 (5x)
 - HS38:** Handle 38 (5x)
 - HS39:** Handle 39 (5x)
 - HS40:** Handle 40 (5x)
 - HS41:** Handle 41 (5x)
 - HS42:** Handle 42 (5x)
 - HS43:** Handle 43 (5x)
 - HS44:** Handle 44 (5x)
 - HS45:** Handle 45 (5x)
 - HS46:** Handle 46 (5x)
 - HS47:** Handle 47 (5x)
 - HS48:** Handle 48 (5x)
 - HS49:** Handle 49 (5x)
 - HS50:** Handle 50 (5x)
 - HS51:** Handle 51 (5x)
 - HS52:** Handle 52 (5x)
 - HS53:** Handle 53 (5x)
 - HS54:** Handle 54 (5x)
 - HS55:** Handle 55 (5x)
 - HS56:** Handle 56 (5x)
 - HS57:** Handle 57 (5x)
 - HS58:** Handle 58 (5x)
 - HS59:** Handle 59 (5x)
 - HS60:** Handle 60 (5x)
 - HS61:** Handle 61 (5x)
 - HS62:** Handle 62 (5x)
 - HS63:** Handle 63 (5x)
 - HS64:** Handle 64 (5x)
 - HS65:** Handle 65 (5x)
 - HS66:** Handle 66 (5x)
 - HS67:** Handle 67 (5x)
 - HS68:** Handle 68 (5x)
 - HS69:** Handle 69 (5x)
 - HS70:** Handle 70 (5x)
 - HS71:** Handle 71 (5x)
 - HS72:** Handle 72 (5x)
 - HS73:** Handle 73 (5x)
 - HS74:** Handle 74 (5x)
 - HS75:** Handle 75 (5x)
 - HS76:** Handle 76 (5x)
 - HS77:** Handle 77 (5x)
 - HS78:** Handle 78 (5x)
 - HS79:** Handle 79 (5x)
 - HS80:** Handle 80 (5x)
 - HS81:** Handle 81 (5x)
 - HS82:** Handle 82 (5x)
 - HS83:** Handle 83 (5x)
 - HS84:** Handle 84 (5x)
 - HS85:** Handle 85 (5x)
 - HS86:** Handle 86 (5x)
 - HS87:** Handle 87 (5x)
 - HS88:** Handle 88 (5x)
 - HS89:** Handle 89 (5x)
 - HS90:** Handle 90 (5x)
 - HS91:** Handle 91 (5x)
 - HS92:** Handle 92 (5x)
 - HS93:** Handle 93 (5x)
 - HS94:** Handle 94 (5x)
 - HS95:** Handle 95 (5x)
 - HS96:** Handle 96 (5x)
 - HS97:** Handle 97 (5x)
 - HS98:** Handle 98 (5x)
 - HS99:** Handle 99 (5x)
 - HS100:** Handle 100 (5x)




250911.11FS - Amelia 8.95x5.95 44mm



250911.11FS - Amelia 8.95x5.95 44mm



250911.11FS - Amelia 8.95x5.95 44mm



250911.11FS - Amelia 8.95x5.95 44mm

595

10

20 19

21

22 23 24 25 26 051 051 050 049 048 047 046

18

17 16 15 14 13 12 11 10 9

TL

P1

PL1

HS22

8 7 6 5 4 3 2 1

W-A

RP

UP

003 003 003 003

045 044 043 042 042 042 042 042 042 042 042 041 042 041 042 041 042 041 040

218,6 223,6 108,4


4,4 4,4 4,4

229,8 228 112,8

1 2 3 4


573,8

290,7




[illegible]


W-B 

















[illegible]




















250911.11FS - Amelia 8.95x5.95 44mm






























250911.11FS - Amelia 8.95x5.95 44mm










Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükitabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
001		2	44x57	2698
002		6	44x114	2698
003		30	44x114	350
004		2	44x114	2698
005		1	44x114	3000
006		1	44x114	5950
007		1	44x120	6050
008		1	44x120	3100
009		16	44x114	3676
010		2	44x114	3676
011		16	44x114	911
012		16	44x114	1465
013		1	44x114	3000
014		1	44x114	5950
015		13	44x114	5950
016		14	44x114	3000
017		1	44x114	3100
018		1	44x114	6050
019		1	44x33	3100
020		1	44x33	2950
021		1	44x33	3100
022		17	44x114	1627
023		17	44x114	650





Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükítabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
024		1	44x114	3122
025		2	44x114	3122
026		1	44x114	3100
027		1	44x114	6050
028		1	44x71	3100
029		1	44x71	2950
030		1	44x71	3100
031		1	44x114	5950
032		11	44x114	3825
033		1	44x114	3825
034		4	44x114	1000
035		4	44x114	2275
036		1	44x114	3000
037		1	44x114	5950
038		1	44x120	6050
039		1	44x120	3100
040		1	44x57	5738
041		4	44x114	5738
042		12	44x114	3652
043		1	44x114	4252
044		2	44x114	5950
052		2	44x57	344
053		1	44x57	1372




Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükitabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
054		32	44x114	344
055		17	44x114	1372
056		2	44x114	944
057		1	44x57	2463
058		17	44x114	2463
059		2	44x114	5950
062		1	44x57	5738
063		4	44x114	5738
064		4	44x114	3652
065		17	44x114	1176
066		1	44x114	1776
WA-1		1		
WB-1		1		
WC-1		1		
WD-1		1		
IAR2	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 	2	44x120	5767
IAR1	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 	2	44x120	5679
IAR4	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 	20	44x120	2906
IAR3	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 	32	44x120	2829









Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükítabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
PR1	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Correa principal - Põhipärtilin 	2	44x146	3175
PR2	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Correa principal - Põhipärtilin 	1	44x146	3100
A-PR1	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Correa - Pärtilin 	12	44x146	3175
A-PR2	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Correa - Pärtilin 	6	44x146	3100
RB-1	Floor boards - Fussbodenbretter - Lamé de plancher - Pavimento - Vloerhout - Tablero de suelo - Põrandalaud 	65	90x18.5	3360
RB-2	Floor boards - Fussbodenbretter - Lamé de plancher - Pavimento - Vloerhout - Tablero de suelo - Põrandalaud 	32	90x18.5	2232
RB-3	Floor boards - Fussbodenbretter - Lamé de plancher - Pavimento - Vloerhout - Tablero de suelo - Põrandalaud 	32	90x18.5	1080
RB-1	Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Tablero de tejado - Katuselaud 	204	90x18.5	3300
FL-1	Floor fillet - Fussbodenleiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerkljst - Rodapié - Põrandaliist 		18x18	41
DPL-1	Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Moldura de fieltro para tejado - Katusepapiliist 	4	18x58	3350
M1	Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Barra roscada - Keermelatt 	2		200
M2	Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Barra roscada - Keermelatt 	2		850
M3	Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 - Draadstang 10m - Barra roscada - Keermelatt 	4		2000
KLS1	Fillet - Leiste - Lattes - Massellino di guarnizione per ringhiera - Lijst - Moldura triangular - Liist 	12	18x90	825
TG	Fillet - Leiste - Lattes - Massellino di guarnizione per ringhiera - Lijst - Moldura triangular - Liist 	6	45x45	825
PL1	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Tablero limitador - Piirdelaud 	2	18x90	2131
PL2	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Tablero limitador - Piirdelaud 	2	18x90	2788
P1	Post - Pfosten - Poteau - Piede registrabile - Stijl - Poste - Post 	4	90x90	1845
TB5-1	Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst - Tablero de alero - Räästalaud 	4	18x90	4575
DRV-1	Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Refuerzo de aleros - Räästatugevdus 	6	28x34	3050
TL	Beam - Balkenlage - Solive(s) - Trave - Balk (gording) - Viga - Tala 	8	44x146	600
GL-1	Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Tablero de frontón - Viilulaud 	4	18x120	3350
EN	Lengthening bolt for treaded rod - Verlängerungsmutter für gewindestange - Manchon de raccordement de tige filetée - Bullone per barra filettata passo - Extensie moer voor draadstang - Tuerca de prolongación para barra roscada - Jätkumutter keermelatile 	4	D10	








Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükítabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
HS8	Screw for gable segment - Schrauben für deckblatt - Vis pour fixation losange de finition - Viti x frontali tetto - Schroef voor gevelpunt segment - Tornillo para rombo - Kruvi rombile 	4	3.5x35	
HS9	Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finitura davanti e dietro del tetto - Schroef voor gevellijst - Tornillo para tablero de frontón - Kruvi viilulauale 	48	3.5x50	
HS14	Screw for u-profile - Schraube zur befestigung u-profil - Vis a tete fraisée pour profil u - Vite per profilo ad u - Schroef ter bevestiging u-profiel - Tornillo para perfil en U - Kruvi U-profiilile 	18	4.5x80	
HS14	Screw for post - Schrauben für pfosten - Vis de fixation des poteaux - Viti per inviare - Schroef voor stijlen - Tornillo para poste - Kruvi postile 	8	4.5x80	
HS12	Screw for roofing felt fillet - Schrauben für dachpappenleiste - Vis pour fixation baguette de fixation feutre bitumeux - Vite per massellino del feltro del tetto - Schroef voor asfaltpaier afdeklijst - Tornillo para moldura de feltro para tejado inclinado - Kruvi katusepapiilistule 	32	4x40	
HS12	Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de toit - Viti x striscia del tetto - Schroef voor gevellijst - Tornillo para tablero de alero - Kruvi räästalauale 	40	4x40	
HS12	Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation cornière renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Tornillo para refuerzo de alero - Kruvi räästatugevdusele 	42	4x40	
HS13	Screw for u-profile - Schraube zur befestigung u-profil - Vis a tete fraisée pour profil u - Vite per profilo ad u - Schroef ter bevestiging u-profiel - Tornillo para perfil en U - Kruvi U-profiilile 	60	4x60	
HS13	Screw for covering moulding - Schrauben für deckungsprofil - Vis de fixation profils horizontaux haut inférieur et extérieur d'encadrement de porte - Vite per cornice di copertura - Schroef voor afdekprofiel - Tornillo para tablero delimitador - Kruvi piirdelauale 	20	4x60	
HS18	Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Tornillo para correas - Kruvi pärlinitele 	42	5x120	
HS16	Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Tornillo para medio tablero - Kruvi 1. seinareale 	28	5x90	
HS16	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Tornillo para bastidor - Kruvi alusraamile 	200	5x90	
HS16	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Tornillo para elementos de pared - Kruvi seinadetailidele 	2	5x90	
HS16	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Tornillo para bastidor - Kruvi alusraamile 	36	5x90	
HS22	Screw for beam - Schrauben zur befestigung dachsparren - Vis pour solive (s) - Viti per perline - Schroef voor balk (gording) - Tornillo para viga - Kruvi talale 	16	6x150	
HS23	Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Tornillo para correas - Kruvi pärlinitele 	14	6x180	
HS23	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Tornillo para elemento de pared - Kruvi seinadetailile 	48	6x180	
HS20	Screw for post height adjustment - Schrauben für regulierungsschraube für pfosten - Vis de fixation de support réglable de poteau - Viti per fissare ed aggiustare l'altezza del palo verticale - Schroef voor hoogte instelling stijlen - Tornillo para anclaje - Kruvi vajumispoldile 	32	6x50	
NF2	Zn nail for floor fillet - Zn nagel für fussbodenleiste - Pointe pour cornière de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdeklijst - Clavo para rodapié - Nael põrandaliistule 	90	1.4x40	
SH44	Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Bloque de impacto - Löögiklots 	2		
IN	Drive nut treaded rod - Ein Schlagmutter für gewindestange - Écrou a frapper pour tige filetée - Dado guida per barra filettata - Aandrijfmoer / aanslagmoer voor draadstang - Tuerca de impacto para barra roscada - Löökmutter keermelatile 	4	D10	
SFS	Nut for treaded rod - Mutter für gewindestange - Écrou pour tige filetée - Dado per barra filettata - Moer voor draadstang - Tuerca en barra roscada - Mutter keermelatil 	4	D10	
NF4	Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Clavo para tablero de tejado - Nael katuselauale 	1236	2x50	

Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükitabel 250911.11FS - Amelia 8.95x5.95 44mm	Q	P (mm)	L (mm)
NF4	Zn nail for floor - Zn nagel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Clavo para tablero de suelo - Nael põrandalaualale 	594	2x50	
WR	Plain washer treaded rod - Unterlegscheibe für gewindestange - Rondelle plate pour tige filetée - Rondella per barra filettata - Sluitring voor draadeind - Arandela para barra roscada - Seib keermelatile 	4	D10	
RP	Post height adjustment - Pfostenträger verstellbar - Support réglable de poteau - Piede registrabile in altezza - Stelschroef voor stijlpost - Anclaje - Vajumispolt 	4	D20	
	Window - Fenster - Fenetre - Finestra - Raam - Ventana - Aken 540x540 AK.1.104.PSP.d DGP 	1		
	Window - Fenster - Fenetre - Finestra - Raam - Ventana - Aken 1290x990 TAK.1.106.PSP.b DGP 	4		
	Door - Tür - Porte - Porte - Deur - Puerta - Uks 1588x1957 TUK.1.108.PVP.MM DGP 	1		
	Door - Tür - Porte - Porte - Deur - Puerta - Uks 835x1957 UL.2.100.IVP.MM TP 	2		

Pos	13.06.2018 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel 540x540 AK.1.104.PSP.d DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 370x362 mm   440x444 mm				
FS1	Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink		1		
FSP	Bolt for window handle fittings - Bolzen für fenstergriff beschlag - Vis pour fixation poignée de fenetre - Bullone x apertura manuale finestra - Schroef voor raamhendel - Akna käepideme polt		2		
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule		4	2.5x20	

Pos	11.11.2024	Piece list – Stückliste – Liste des pièces – Elementi – Stuklijst – Tükitabel 1290x990 TAK.1.106.PSP.b DGP	1/1	Q	P (mm)	L (mm)
	Glass size – Glasgröße – Taille de la vitre – Misura del vetro – Glas afmeting – Klaasi mõõt: 515x812 mm			 1190x902 mm		
1	Georgian bars – Sprossen – Croisillons – La griglia georgiana – Raamverdeling – Petteliistud		2	15x25	842	
2	Georgian bars – Sprossen – Croisillons – La griglia georgiana – Raamverdeling – Petteliistud		4	15x25	545	
FS1	Window handle fittings – Fenstergriff – Poignée de fenetre – Maniglia c/ferramenta – Raamhendel –/grendel –/klink – Aknalink		1			
FSP	Bolt for window handle fittings – Bolzen für fenstergriff beschlag – Vis pour fixation poignée de fenetre – Bullone x apertura manuale finestra – Schroef voor raamhendel – Akna käepideme polt		2			
HS1	Screw for georgian bars – Schraube für sprossen – Vis pour croisillons – Viti per unire la griglia georgiana della finestra – Schroeven voor raamverdeling – Kruvi akna petteliistule		12	2.5x20		

Pos	02.02.2018	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 1588x1957 TUK.1.108.PVP.MM DGP	1/1	Q	P (mm)	L (mm)
	Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 1593x561 mm			 1488x1875 mm		
						
HS1	Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petteliistule				16	2.5x20
HS4	Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltšiliistule				5	3x30
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile				4	5x90
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule				3	4.5x65
TL4	Door handle fittings - Türgriff - Poignée de porte - Maniglie - Deurhendel / klink - Ukse käepide				1	
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat				1	
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik				1	30x35
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane				6	
	Striker for barrel bolt - Hülse für grendelriegel - Gache au sol du targette - Boccola per fermo della porta - Huls voor vergrendelingsschuif - Vasturaud ukse servariivile				2	

Pos	05.11.2021	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 835x1957 UL.2.100.IVP.MM TP	1/1	Q	P (mm)	L (mm)
		  735x1875 mm				
HS25	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule			2	4.5x65	
HS16	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile			4	5x90	
TL4	Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide			1		
TL5	Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat			1		
	Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik			1	30x35	
	Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane			3		